

L Number	Hits	Search Text	DB	Time stamp
-	15	(overclock\$3 or (over adj1 clock\$3)) near5 (recover\$3 or reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:01
-	108	(overclock\$3 or (over adj1 clock\$3)) same (recover\$3 or reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:03
-	30	((overclock\$3 or (over adj1 clock\$3)) same (recover\$3 or reset or resetting)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:09
-	26	(overclock\$3 or (over adj1 clock\$3)) near10 (program\$3 or programmable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 11:53
-	550	(initializ\$5 near5 clock) near10 (recover\$3 or reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:09
-	187	((initializ\$5 near5 clock) near10 (recover\$3 or reset or resetting)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:10
-	455	(initializ\$5 near5 clock) near7 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:11
-	166	((initializ\$5 near5 clock) near7 (reset or resetting)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:23
-	99	(programmable near5 clock) near7 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:41
-	25	((programmable near5 clock) near7 (reset or resetting)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:11
-	70	(programmable near3 clock) near8 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:17
-	75	(programmable near3 clock\$3) near8 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:23

-	385	(programmable near3 clock\$3) same (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:27
-	101	((programmable near3 clock\$3) same (reset or resetting)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:24
-	4	(programmable near3 clock\$3) same ((reset or resetting) near5 selectively)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:28
-	0	(programmable near3 clock\$3) same (default near4 frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:29
-	31	(programmable near3 clock\$3) same (default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:29
-	1325	(clock near3 frequenc\$3) near7 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:41
-	14	(maximum near4 clock near3 frequenc\$3) near7 (reset or resetting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:47
-	4	(clock) near7 (reset or resetting) near8 (hang\$2 or hung)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:49
-	38	(selectively near5 (chang\$3 or adjust\$3) near5 (clock\$3 near2 frequenc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:50
-	18	(overclock\$3 or (over adj1 clock\$3)) near8 prevent\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:59
-	0	((overclock\$3 or (over adj1 clock\$3)) near8 prevent\$3) and watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:59
-	3	((overclock\$3 or (over adj1 clock\$3)) near8 prevent\$3) and timer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 12:59

-	0	(overclock\$3 or (over adj1 clock\$3)) same (prevent\$3 near5 (hang\$3 or hung))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:01
-	0	(overclock\$3 or (over adj1 clock\$3)) and (prevent\$3 near5 (hang\$3 or hung))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:01
-	11	(overclock\$3 or (over adj1 clock\$3)) same ((recover\$3 or reset or resetting) near10 time\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:03
-	31	(reset\$4 near3 (cpu processor microprocessor)) near8 ((chang\$3 or adjust\$3) near5 (clock\$ or frequen\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:46
-	1239	(multiple plurality) near3 (pll or phase adj1 lock\$3 adj1 loop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:48
-	105	((multiple plurality) near3 (pll or phase adj1 lock\$3 adj1 loop\$1)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:48
-	13	((multiple plurality) near3 (pll or phase adj1 lock\$3 adj1 loop\$1)) near8 distribut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:21
-	124	(divider near3 network) near5 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:22
-	21	((divider near3 network) near5 clock\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:36
-	94	(watchdog adj2 timer) near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:49
-	58	((watchdog adj2 timer) near5 programmable) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:38
-	15	((watchdog adj2 timer) near5 programmable) with reset\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:49

-	0	((watchdog adj2 timer) near5 programmable) with ((frequency or clock) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:50
-	0	((watchdog adj2 timer) near5 programmable) same ((frequency or clock) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:58
-	146	(hang\$3 or hung or freez\$3) with ((frequency or clock) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:59
-	0	((hang\$3 or hung or freez\$3) with ((frequency or clock) near5 (chang\$3 or adjust\$3))) and g06f\$.ipc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:59
-	0	((hang\$3 or hung or freez\$3) near8 ((frequency or clock) near5 (chang\$3 or adjust\$3))) and g06f\$.ipc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 07:59
-	100	(hang\$3 or hung or freez\$3) near8 ((frequency or clock) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:00
-	31	(hang\$3 or hung) near8 ((frequency or clock) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:05
-	31	(hang\$3 or hung) near8 ((frequenc\$3 or clock\$3) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:29
-	10	((hang\$3 or hung) same ((frequenc\$3 or clock\$3) near5 (chang\$3 or adjust\$3))) same (CPU processor or microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:07
-	138	(hang\$3 or hung) same ((frequenc\$3 or clock\$3) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:59
-	48	(hang\$3 or hung) with ((frequenc\$3 or clock\$3) near5 (chang\$3 or adjust\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:53
-	46	(ipl or (initial adj1 program\$4 adj1 load\$3)) near5 bios	USPAT; US-PGPUB; JPO; DERWENT	2003/09/08 09:26
-	2	6535986.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:13

-	2056	reset\$4 near5 watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 10:29
-	11	reset\$4 near5 (watchdog adj1 timer) near10 (hang\$3 or hung)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:24
-	380	inter adj1 integrated adj1 circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:25
-	25553	I2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:25
-	849	I2c	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:25
-	195	(inter adj1 integrated adj1 circuit) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:27
-	98	(inter adj1 integrated adj1 circuit) near5 interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 12:27
-	42	((inter adj1 integrated adj1 circuit) near5 interface) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:38
-	2520	skew\$3 near5 control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:10
-	8	(skew\$3 near5 control) near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:37
-	80	(skew\$3 near5 control) near5 logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:13
-	12	(skew\$3 near5 control) near5 (adjustable or programmable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:38

-	11261	(skew\$3 or delay) near5 (adjustable or programmable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:48
-	1163	((skew\$3 or delay) near5 (adjustable or programmable)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:42
-	403	(skew\$3) near5 (adjustable or programmable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:42
-	62	((skew\$3) near5 (adjustable or programmable)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:42
-	10961	(delay) near5 (adjustable or programmable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:48
-	553	((delay) near5 (adjustable or programmable)) and fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:48
-	118	((delay) near5 (adjustable or programmable)) same fuse	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 13:56
-	2	4521847.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:20
-	1884	(sav\$ or stor\$3) near5 (operat\$3 near3 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:22
-	6	((sav\$ or stor\$3) near5 (operat\$3 near3 frequency)) same (increment\$3 near4 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:23
-	277079	(sav\$ or stor\$3) near5 (operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:34
-	39	((sav\$ or stor\$3) near5 (operat\$3)) same (increment\$3 near4 frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:33

-	680	((increment\$3 near4 frequency) near5 clock\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:33
-	17	((increment\$3 near4 frequency) near5 clock\$3) same (sav\$ or stor\$3) near5 (frequenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:34
-	3	((increment\$3 near4 frequency) near5 clock\$3) same (sav\$ or stor\$3) near5 (operat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:34
-	17	((increment\$3 near4 frequency) near5 clock\$3) same ((sav\$ or stor\$3) near5 (frequenc\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:37
-	231	(fail adj1 safe) near10 frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:44
-	15	((fail adj1 safe) near10 frequenc\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:50
-	0	((fail adj1 safe) near5 frequenc\$3) near5 (sav\$3 or stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:45
-	7486	(sav\$3 or stor\$3) near7 (operat\$3 near5 parameter\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:49
-	315	((sav\$3 or stor\$3) near7 (operat\$3 near5 parameter\$1)) same frequenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:50
-	34	((sav\$3 or stor\$3) near7 (operat\$3 near5 parameter\$1)) same frequenc\$3) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:50
-	0	6535986.URPN.	USPAT	2003/09/08 15:58